

You have tested Positive for COVID-19. Below are instructions for caring for yourself at home.

Stay home except to get medical care

- **Stay home.** Most people with COVID-19 have mild illness and can recover at home without medical care. Do not leave your home, except to get medical care. Do not visit public areas. Do not go to work.
- **Take care of yourself.** Get rest and stay hydrated. Take over-the-counter medicines, such as acetaminophen, to help you feel better.
- **Stay in touch with your doctor.** The CDC will let you know when you can stop isolating from others. However, please call us if you feel worse, if you have trouble breathing, or have any other emergency warning signs, or if you think it is an emergency.
- **Avoid public transportation**, ride-sharing, or taxis.

Separate yourself from other people

As much as possible, stay in a specific room and away from other people and pets in your home. If possible, you should use a separate bathroom. If you need to be around other people or animals in or outside of the home, wear a cloth face covering.

Monitor your symptoms

Take your temperature every day. Monitor for temperature over 100.0.

Call us at 874-2141 if your symptoms worsen.

Call 911 if you experience the following:

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Inability to wake or stay awake
- Bluish lips or face

Make sure 911 operator is aware you have tested positive for COVID-19

If you are sick wear a cloth covering over your nose and mouth

- **You should wear a [cloth face covering](#), over your nose and mouth** if you must be around other people or animals, including pets (even at home)
- You don't need to wear the cloth face covering if you are alone. If you can't put on a cloth face covering (because of trouble breathing, for example), cover your coughs and sneezes in some other way. Try to stay at least 6 feet away from other people. This will help protect the people around you.
- Cloth face coverings should not be placed on young children under age 2 years, anyone who has trouble breathing, or anyone who is not able to remove the covering without help.

Note: During the COVID-19 pandemic, medical grade facemasks are reserved for healthcare workers and some first responders. You may need to make a cloth face covering using a scarf or bandana.

Cover your coughs and sneezes

- **Cover your mouth and nose** with a tissue when you cough or sneeze.
- **Throw away used tissues** in a lined trash can.
- **Immediately wash your hands** with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.

Clean your hands often

- **Wash your hands** often with soap and water for at least 20 seconds. This is especially important after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- **Use hand sanitizer** if soap and water are not available. Use an alcohol-based hand sanitizer with at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry.
- **Soap and water** are the best option, especially if hands are visibly dirty.
- **Avoid touching** your eyes, nose, and mouth with unwashed hands.

Avoid sharing personal household items

- **Do not share** dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people in your home.
- **Wash these items thoroughly after using them** with soap and water or put in the dishwasher.

Clean all “high-touch” surfaces everyday

- **Clean and disinfect** high-touch surfaces in your “sick room” and bathroom. Let someone else clean and disinfect surfaces in common areas, but you should clean your bedroom and bathroom, if possible.
- **If a caregiver or other person needs to clean and disinfect** a sick person’s bedroom or bathroom, they should do so on an as-needed basis. The caregiver/other person should wear a mask and disposable gloves prior to cleaning (if possible). They should wait as long as possible after the person who is sick has used the bathroom before coming in to clean and use the bathroom.

High-touch surfaces include phones, remote controls, counters, tabletops, doorknobs, bathroom fixtures, toilets, keyboards, tablets, and bedside tables.

- **Clean and disinfect areas that may have blood, stool, or body fluids on them.**
- **Use household cleaners and disinfectants.** Clean the area or item with soap and water or another detergent if it is dirty. Then, use a household disinfectant.

Remain isolated, even if you are feeling better, until your provider (or the CDC) has released you from isolation.